

Salli Saddle Chair dimensions


*With the LONG Foot Height Control gas spring, the user should be approx 5 cm taller than recommended user. Mini gas spring is available for special circumstances; use depends on the working height, not on the height of the user. If you are using industrial or inline castors, the chair is 35 mm higher than the measurements shown in the table below. The recommended maximum weight of a Salli chair user is 120 kg, 100 kg for Salli Light.

Twin

Total weight 10,4 kg
Seat weight 6,8 kg


Standard gas spring:

mini: 420 ~ 510 mm
short: 465 ~ 600 mm
medium: 570 ~ 750 mm
long: 620 ~ 880 mm



Foot Height Control gas spring:

short: 480 ~ 610 mm
medium: 575 ~ 765 mm
*long: 655 ~ 910 mm




User height (cm)	<160	155-180	>170
Gas spring	short	medium	long

Swing

Total weight 10,2 kg
Seat weight 6,6 kg


Standard gas spring:

mini: 435 ~ 525 mm
short: 490 ~ 625 mm
medium: 580 ~ 765 mm
long: 645 ~ 905 mm



Foot Height Control gas spring:

short: 490 ~ 620 mm
medium: 585 ~ 775 mm
*long: 665 ~ 920 mm




User height (cm)	<165	160-185	>175
Gas spring	short	medium	long

MultiAdjuster

Total weight 11,1 kg
Seat weight 7,5 kg


Standard gas spring:

mini: 435 ~ 525 mm
short: 480 ~ 615 mm
medium: 565 ~ 750 mm
long: 635 ~ 895 mm



Foot Height Control gas spring:

short: 470 ~ 600 mm
medium: 575 ~ 760 mm
*long: 650 ~ 900 mm




User height (cm)	<160	155-180	>170
Gas spring	short	medium	long

SwingFit

Total weight 11,0 kg
Seat weight 7,4 kg


Standard gas spring:

mini: 445 ~ 535 mm
short: 500 ~ 635 mm
medium: 590 ~ 780 mm
long: 665 ~ 925 mm



Foot Height Control gas spring:

short: 500 ~ 630 mm
medium: 605 ~ 790 mm
*long: 680 ~ 935 mm




User height (cm)	<165	160-185	>175
Gas spring	short	medium	long

Twin without tilt, A2 & plastic base

Total weight 9,6 kg
Seat weight 6,2 kg


Standard gas spring:

mini: 435 ~ 525 mm
short: 480 ~ 615 mm
medium: 585 ~ 765 mm
long: 635 ~ 895 mm



Foot Height Control gas spring:

not available
not available
not available




User height (cm)	<160	160-180	>165
Gas spring	short	medium	long

Strong

Total weight 12,0 kg
Seat weight 8,4 kg


Special gas spring:

not available
short: 493 ~ 628 mm
medium: 585 ~ 770 mm
long: 648 ~ 908 mm



Foot Height Control gas spring:

not available
not available
not available



User height (cm)	<165	160-185	>175
Gas spring	short	medium	long

Salli Saddle Chair dimensions


*With the LONG Foot Height Control gas spring, the user should be approx 5 cm taller than recommended user. Mini gas spring is available for special circumstances; use depends on the working height, not on the height of the user. If you are using industrial or inline castors, the chair is 35 mm higher than the measurements shown in the table below. The recommended maximum weight of a Salli chair user is 120 kg, 100 kg for Salli Light.

Care Swing plastic base

Total weight 10,3 kg
Seat weight 6,6 kg


Standard gas spring:

mini: 450 ~ 540 mm
short: 505 ~ 640 mm
medium: 595 ~ 780 mm
long: 660 ~ 920 mm



Foot Height Control gas spring:

short: 505 ~ 635 mm
medium: 600 ~ 790 mm
*long: 680 ~ 935 mm




User height (cm)	<165	160-185	>175
Gas spring	short	medium	long

Care Swing aluminium base

Total weight 10,2 kg
Seat weight 6,6 kg


Standard gas spring:

mini: 435 ~ 525 mm
short: 490 ~ 625 mm
medium: 580 ~ 765 mm
long: 645 ~ 905 mm



Foot Height Control gas spring:

short: 490 ~ 620 mm
medium: 585 ~ 775 mm
*long: 665 ~ 920 mm




User height (cm)	<165	160-185	>175
Gas spring	short	medium	long

Care SwingFit plastic base

Total weight 11,1 kg
Seat weight 7,4 kg





Standard gas spring:

mini: 460 ~ 550 mm
short: 515 ~ 650 mm
medium: 605 ~ 795 mm
long: 680 ~ 940 mm



Foot Height Control gas spring:

short: 515 ~ 645 mm
medium: 620 ~ 805 mm
*long: 695 ~ 950 mm




User height (cm)	<165	160-185	>175
Gas spring	short	medium	long

Care SwingFit aluminium base

Total weight 11,0 kg
Seat weight 7,4 kg





Standard gas spring:

mini: 445 ~ 535 mm
short: 500 ~ 635 mm
medium: 590 ~ 780 mm
long: 665 ~ 925 mm



Foot Height Control gas spring:

short: 500 ~ 630 mm
medium: 605 ~ 790 mm
*long: 680 ~ 935 mm



User height (cm)	<165	160-185	>175
Gas spring	short	medium	long

Salli Saddle Chair dimensions


*With the LONG Foot Height Control gas spring, the user should be approx 5 cm taller than recommended user. Mini gas spring is available for special circumstances; use depends on the working height, not on the height of the user. If you are using industrial or inline castors, the chair is 35 mm higher than the measurements shown in the table below. The recommended maximum weight of a Salli chair user is 120 kg, 100 kg for Salli Light.

Light plastic base

Total weight 5,9 kg
Seat weight 2,2 kg


Standard gas spring:

mini: 420 ~ 510 mm
short: 475 ~ 610 mm
medium: 565 ~ 750 mm
long: 630 ~ 890 mm



Foot Height Control gas spring:

not available
not available
not available




User height (cm)	<150	150-170	>160
Gas spring	short	medium	long

Light aluminium base

Total weight 5,8 kg
Seat weight 2,2 kg


Standard gas spring:

mini: 405 ~ 495 mm
short: 460 ~ 595 mm
medium: 550 ~ 735 mm
long: 615 ~ 875 mm



Foot Height Control gas spring:

not available
not available
not available




User height (cm)	<150	150-170	>160
Gas spring	short	medium	long

Light Tilt plastic base

Total weight 7,6 kg
Seat weight 3,9 kg


Standard gas spring:

mini: 445 ~ 535 mm
short: 500 ~ 635 mm
medium: 590 ~ 775 mm
long: 655 ~ 910 mm



Foot Height Control gas spring:

not available
not available
not available




User height (cm)	<150	150-170	>160
Gas spring	short	medium	long

Light Tilt aluminium base

Total weight 7,5 kg
Seat weight 3,9 kg


Standard gas spring:

mini: 430 ~ 520 mm
short: 485 ~ 620 mm
medium: 575 ~ 760 mm
long: 640 ~ 895 mm



Foot Height Control gas spring:

not available
not available
not available




User height (cm)	<150	150-170	>160
Gas spring	short	medium	long

Light Swing plastic base

Total weight 7,4 kg
Seat weight 3,7 kg


Standard gas spring:

mini: 470 ~ 560 mm
short: 525 ~ 660 mm
medium: 615 ~ 800 mm
long: 680 ~ 940 mm



Foot Height Control gas spring:

not available
not available
not available




User height (cm)	<150	150-170	>160
Gas spring	short	medium	long

Light Swing aluminium base

Total weight 7,3 kg
Seat weight 3,7 kg


Standard gas spring:

mini: 455 ~ 545 mm
short: 510 ~ 645 mm
medium: 600 ~ 785 mm
long: 665 ~ 925 mm



Foot Height Control gas spring:

not available
not available
not available



User height (cm)	<150	150-170	>160
Gas spring	short	medium	long


Salli Saddle Chair dimensions

*With the LONG Foot Height Control gas spring, the user should be approx 5 cm taller than recommended user. Mini gas spring is available for special circumstances; use depends on the working height, not on the height of the user. If you are using industrial or inline castors, the chair is 35 mm higher than the measurements shown in the table below. The recommended maximum weight of a Salli chair user is 120 kg, 100 kg for Salli Light.

Slim plastic base Total weight 5,6 kg
Seat weight 2,3 kg


Standard gas spring:

mini: 420 ~ 510 mm
short: 475 ~ 610 mm
medium: 565 ~ 750 mm
long: 630 ~ 890 mm



Foot Height Control gas spring:

not available
not available
not available




User height (cm)	<150	150-170	>160
Gas spring	short	medium	long

Slim aluminium base Total weight 5,9 kg
Seat weight 2,3 kg


Standard gas spring:

mini: 405 ~ 495 mm
short: 460 ~ 595 mm
medium: 550 ~ 735 mm
long: 615 ~ 875 mm



Foot Height Control gas spring:

not available
not available
not available




User height (cm)	<150	150-170	>160
Gas spring	short	medium	long

Slim Tilt plastic base Total weight 7,1 kg
Seat weight 3,8 kg


Standard gas spring:

mini: 445 ~ 535 mm
short: 500 ~ 635 mm
medium: 590 ~ 775 mm
long: 655 ~ 910 mm



Foot Height Control gas spring:

not available
not available
not available




User height (cm)	<150	150-170	>160
Gas spring	short	medium	long

Slim Tilt aluminium base Total weight 7,4 kg
Seat weight 3,8 kg


Standard gas spring:

mini: 430 ~ 520 mm
short: 485 ~ 620 mm
medium: 575 ~ 760 mm
long: 640 ~ 895 mm



Foot Height Control gas spring:

not available
not available
not available




User height (cm)	<XXX	150-170	>160
Gas spring	short	medium	long

Slim Swing plastic base Total weight 6,9 kg
Seat weight 3,6 kg


Standard gas spring:

mini: 470 ~ 560 mm
short: 525 ~ 660 mm
medium: 615 ~ 800 mm
long: 680 ~ 940 mm



Foot Height Control gas spring:

not available
not available
not available




User height (cm)	<150	150-170	>160
Gas spring	short	medium	long

Slim Swing aluminium base Total weight 7,2 kg
Seat weight 3,6 kg


Standard gas spring:

mini: 455 ~ 545 mm
short: 510 ~ 645 mm
medium: 600 ~ 785 mm
long: 665 ~ 925 mm



Foot Height Control gas spring:

not available
not available
not available




User height (cm)	<150	150-170	>160
Gas spring	short	medium	long

Salli Saddle Chair dimensions


*With the LONG Foot Height Control gas spring, the user should be approx 5 cm taller than recommended user. Mini gas spring is available for special circumstances; use depends on the working height, not on the height of the user. If you are using industrial or inline castors, the chair is 35 mm higher than the measurements shown in the table below. The recommended maximum weight of a Salli chair user is 120 kg, 100 kg for Salli Light.

Twin & Allround




User height (cm)	<165	160-185	>170
Gas spring	short	medium	long

MultiAdjuster & Allround




User height (cm)	<165	160-185	>170
Gas spring	short	medium	long

Swing, Allround & big base




User height (cm)	<170	165-190	>175
Gas spring	short	medium	long

SwingFit, Allround & big base




User height (cm)	<170	165-190	>175
Gas spring	short	medium	long

Twin, Stretching Support & big base



User height (cm)	<165	165-185	>170
Gas spring	short	medium	long

MultiAdjuster, Stretching Support & big base



User height (cm)	<165	165-185	>170
Gas spring	short	medium	long


Salli Saddle Chair dimensions

*With the LONG Foot Height Control gas spring, the user should be approx 5 cm taller than recommended user. Mini gas spring is available for special circumstances; use depends on the working height, not on the height of the user. If you are using industrial or inline castors, the chair is 35 mm higher than the measurements shown in the table below. The recommended maximum weight of a Salli chair user is 120 kg, 100 kg for Salli Light.


Classic

Total weight 11,0 kg
Seat weight 7,4 kg

Standard gas spring:




Foot Height Control gas spring:




User height (cm)	<160	155-180	>170
Gas spring	short	medium	long

Salli Foot Therapy (Light & Foot)

Standard gas spring:



Foot Height Control gas spring:



not available

not available


not available

not available


not available

Classic & Stretching Support & big base

Standard gas spring:




Foot Height Control gas spring:




User height (cm)	<165	160-185	>175
Gas spring	short	medium	long

Classic & Allround

Standard gas spring:



Foot Height Control gas spring:



User height (cm)	<165	165-180	>175
Gas spring	short	medium	long

Accessories - further information

Accessories	weight	notify
Allround	4,36 kg	big base with swing and swingfit
Elbow rest	2,54 kg	
Stretching Support	2,16 kg	big base
Surgeon	4,32 kg	
Ergorest with stretching support	4,00 kg	
Foot adjustment	1,28 kg	
Big base	+ 0,70 kg	difference to normal base
Small base	- 0,10 kg	difference to normal base
Gas spring lengths (cylinder)	length	notify
mini	185 mm	available for special use or work environment
short	235 mm	
medium	325 mm	
long	385 mm	